





AURORA 3600 END SUCTION CENTRIFUGAL PUMP



AURORA®
ISO 2858 STANDARD END SUCTION CENTRIFUGAL PUMPS

 BENCHMARK CENTRIFUGAL PUMPING PERFORMANCE AND RELIABILITY


Features

Superior hydraulic design for higher efficiencies and reduced operating cost.

High efficiency double curvature impeller vanes.

32-300mm discharge

Cast iron or stainless steel construction.

Wide range of options

Standard flange drilling to PN16

pullout design allows removal of the pump rotating element without the removal of suction and discharge lines for maintenance.

Heavy duty sealed for life grease packed ball bearings.

Taper mounted and keyed impeller.

Horizontal or vertical pump discharge mounting.

Applications

Irrigation
 Building Services
 Fire Protection
 Industry
 Processing
 Agriculture

OPTIONS

Wear Rings
 Mechanical Seal or Packed Gland Seal
 Paint and Internal Coatings
 Materials of Construction
 Flange Drillings
 Works Certified and Witness Testing
 Impeller Turndowns
 Flexible and Spacer Couplings
 Pressed or Welded Baseplate


Performance Range

Capacity	Maximum
Head	Maximum
Liquid Temp.	Up to 140 °C with high-temp. seals
Pumped Liquid	Clean Water

AURORA®

End Suction Pump 50HZ Performance


End Suction Centrifugal Pump Performance Data




AURORA®


End Suction Pump 50HZ Performance

End Suction Centrifugal Pump Performance Data




End Suction Centrifugal Pump Technical Data


PUMP MODEL	PUMP SIZE			MOTOR KW															WEIGHT (KG)
	INLET	OUTLET	IMP NOMINAL DIA		A	H	H1	H2	L1	NXL2	L3	L	C	B1	B	n-Ød	ANCHOR BOLTS		
50x32-125	50	32	125	112M-2/4KW	80	100	242	382	100	1*590	869	790	70	310	350	4-Ø15	M12X300	124	
	50	32	125	100L-2/3KW	80	100	242	382	100	1*580	855	780	70	310	350	4-Ø15	M12X300	117	
	50	32	125	90L-2/2.2KW	80	100	242	382	100	1*550	810	750	70	310	350	4-Ø15	M12X300	109	
	50	32	125	90S-2/1.5KW	80	100	242	382	100	1*550	785	750	70	310	350	4-Ø15	M12X300	106	
	50	32	125	80M2-4/0.75KW	80	100	242	382	100	1*500	765	700	70	310	350	4-Ø15	M12X300	96	
	50	32	125	80M1-4/0.55KW	80	100	242	382	100	1*500	765	700	70	310	350	4-Ø15	M12X300	95	
	50	32	125	71-4/0.37KW	80	100	242	382	100	1*475	720	675	70	310	350	4-Ø15	M12X300	94	
65x50-125	65	50	125	112M-2/4KW	80	100	242	382	100	1*590	870	790	70	310	350	4-Ø15	M12X300	130	
	65	50	125	100L-2/3KW	80	100	242	382	100	1*580	855	780	70	310	350	4-Ø15	M12X300	123	
	65	50	125	90L-2/2.2KW	80	100	242	382	100	1*550	810	750	70	310	350	4-Ø15	M12X300	110	
	65	50	125	90S-4/1.1KW	80	100	242	382	100	1*550	785	750	70	310	350	4-Ø15	M12X300	107	
	65	50	125	80M2-4/0.75KW	80	100	242	382	100	1*500	765	700	70	310	350	4-Ø15	M12X300	101	
	65	50	125	80M1-4/0.55KW	80	100	242	382	100	1*500	765	700	70	310	350	4-Ø15	M12X300	100	
	65	50	125	71-4/0.37KW	80	100	242	382	100	1*475	720	675	70	310	350	4-Ø15	M12X300	99	
80x65-125	80	65	125	132S2-2/7.5KW	100	100	242	417	100	1*640	961	840	70	350	390	4-Ø15	M12X300	166	
	80	65	125	132S1-2/5.5KW	100	100	242	417	100	1*640	961	840	70	350	390	4-Ø15	M12X300	163	
	80	65	125	112M-2/4KW	100	100	242	417	100	1*590	890	790	70	310	350	4-Ø15	M12X300	133	
	80	65	125	90L-4/1.5KW	100	100	242	417	100	1*550	805	750	70	310	350	4-Ø15	M12X300	114	
	80	65	125	90S-4/1.1KW	100	100	242	417	100	1*550	805	750	70	310	350	4-Ø15	M12X300	108	
	80	65	125	80M2-4/0.75KW	100	100	242	417	100	1*500	785	700	70	310	350	4-Ø15	M12X300	108	
	80	65	125	71-4/0.37KW	100	100	242	417	100	1*475	720	675	70	310	350	4-Ø15	M12X300	99	
100x80-125	100	80	125	160M1-2/11KW	100	100	270	460	100	1*800	1106	1000	70	400	440	4-Ø15	M12X300	215	
	100	80	125	132S2-2/7.5KW	100	100	270	460	100	1*640	961	840	70	350	390	4-Ø15	M12X300	170	
	100	80	125	100L1-4/2.2KW	100	100	270	460	100	1*580	875	780	70	310	350	4-Ø15	M12X300	132	
	100	80	125	90L-4/1.5KW	100	100	270	460	100	1*550	830	750	70	310	350	4-Ø15	M12X300	120	
	100	80	125	90S-4/1.1KW	100	100	270	460	100	1*550	805	750	70	310	350	4-Ø15	M12X300	120	
	100	80	125	71-4/0.37KW	100	100	270	460	100	1*475	720	675	70	310	350	4-Ø15	M12X300	99	
50x32-160	50	32	160	132S1-2/5.5KW	80	100	242	402	150	1X600	965	900	70	350	390	4-Ø19	M16X300	149	
	50	32	160	112M-2/4KW	80	100	242	402	100	1X600	883	800	70	310	350	4-Ø15	M12X300	125	
	50	32	160	100L-2/3KW	80	100	242	402	100	1X600	873	800	70	310	350	4-Ø15	M12X300	119	
	50	32	160	90L-2/2.2KW	80	100	242	402	100	1X550	823	750	70	310	350	4-Ø15	M12X300	109	
	50	32	160	80M2-4/0.75KW	80	100	242	402	100	1X500	763	700	70	310	350	4-Ø15	M12X300	102	
	50	32	160	80M1-4/0.55KW	80	100	242	402	100	1X500	763	700	70	310	350	4-Ø15	M12X300	101	

End Suction Centrifugal Pump Technical Data



PUMP MODEL	PUMP SIZE			MOTOR KW															WEIGHT (KG)
	INLET	OUTLET	IMP NOMINAL DIA		A	H	H1	H2	L1	NXL2	L3	L	C	B1	B	n-Ød	ANCHOR BOLTS		
65x50-160	65	50	160	132S2-2/7.5KW	80	100	242	402	150	1X600	965	900	70	350	390	4-Ø19	M16X300	153	
	65	50	160	132S1-2/5.5KW	80	100	242	402	150	1X600	965	900	70	350	390	4-Ø19	M16X300	150	
	65	50	160	112M-2/4KW	80	100	242	402	100	1X600	883	800	70	310	350	4-Ø15	M12X300	126	
	65	50	160	90S-4/1.1KW	80	100	242	402	100	1X550	798	750	70	310	350	4-Ø15	M12X300	107	
	65	50	160	80M2-4/0.75KW	80	100	242	402	100	1X500	763	700	70	310	350	4-Ø15	M12X300	103	
	65	50	160	80M1-4/0.55KW	80	100	242	402	100	1X500	763	700	70	310	350	4-Ø15	M12X300	102	
80x65-160	80	65	160	160M2-2/15KW	100	100	270	450	100	2X400	1123	1000	70	400	440	6-Ø19	M16X300	222	
	80	65	160	160M1-2/11KW	100	100	270	450	100	2X400	1123	1000	70	400	440	6-Ø19	M16X300	212	
	80	65	160	132S2-2/7.5KW	100	100	270	450	150	1X600	985	900	70	350	390	4-Ø19	M16X300	159	
	80	65	160	132S1-2/5.5KW	100	100	270	450	150	1X600	985	900	70	350	390	4-Ø19	M16X300	156	
	80	65	160	90L-4/1.5KW	100	100	270	450	100	1X550	843	750	70	350	390	4-Ø15	M12X300	124	
	80	65	160	90S-4/1.1KW	100	100	270	450	100	1X550	818	750	70	350	390	4-Ø15	M12X300	117	
	80	65	160	80M2-4/0.75KW	100	100	270	450	100	1X500	783	700	70	350	390	4-Ø15	M12X300	112	
100x80-160	100	80	160	160L-2/18.5KW	100	160	335	535	150	2X425	1298	1150	85	400	460	6-Ø19	M16X300	298	
	100	80	160	160M2-2/15KW	100	160	335	535	150	2X425	1238	1150	85	400	460	6-Ø19	M16X300	281	
	100	80	160	160M1-2/11KW	100	160	335	535	150	2X425	1238	1150	85	400	460	6-Ø19	M16X300	271	
	100	80	160	100L2-4/3KW	100	140	335	535	150	1X650	1008	950	85	360	410	4-Ø19	M16X300	181	
	100	80	160	100L1-4/2.2KW	100	140	335	535	150	1X650	1008	950	85	360	410	4-Ø19	M16X300	177	
	100	80	160	90L-4/1.5KW	100	140	335	535	150	1X600	958	900	85	360	410	4-Ø19	M16X300	169	
	100	80	160	90S-4/1.1KW	100	140	335	535	150	1X600	933	900	85	360	410	4-Ø19	M16X300	163	
50x32-200	50	32	200	160M1-2/11KW	80	100	270	450	100	2X400	1103	1000	70	400	440	6-Ø19	M16X300	212	
	50	32	200	132S2-2/7.5KW	80	100	270	450	150	1X600	965	900	70	350	390	4-Ø19	M16X300	159	
	50	32	200	132S1-2/5.5KW	80	100	270	450	150	1X600	965	900	70	350	390	4-Ø19	M16X300	156	
	50	32	200	90L-4/1.5KW	80	100	270	450	100	1X550	823	750	70	310	350	4-Ø15	M12X300	121	
	50	32	200	90S-4/1.1KW	80	100	270	450	100	1X550	798	750	70	310	350	4-Ø15	M12X300	115	
	50	32	200	80M2-4/0.75KW	80	100	270	450	100	1X500	763	700	70	310	350	4-Ø15	M12X300	109	
65x40-200	65	40	200	160M2-2/15KW	100	100	270	450	100	2X400	1123	1000	70	400	440	6-Ø19	M16X300	224	
	65	40	200	160M1-2/11KW	100	100	270	450	100	2X400	1123	1000	70	400	440	6-Ø19	M16X300	214	
	65	40	200	132S2-2/7.5KW	100	100	270	450	150	1X600	985	900	70	350	390	4-Ø19	M16X300	161	
	65	40	200	100L1-4/2.2KW	100	100	270	450	100	1X600	893	800	70	350	390	4-Ø15	M12X300	131	
	65	40	200	90L-4/1.5KW	100	100	270	450	100	1X550	843	750	70	350	390	4-Ø15	M12X300	126	
	65	40	200	90S-4/1.1KW	100	100	270	450	100	1X550	818	750	70	350	390	4-Ø15	M12X300	119	

End Suction Centrifugal Pump Technical Data



PUMP MODEL	PUMP SIZE			MOTOR KW														WEIGHT (KG)
	INLET	OUTLET	IMP NORMAL DIA		A	H	H1	H2	L1	NXL2	L3	L	C	B1	B	n-Ød	ANCHOR BOLTS	
80x50-200	80	50	200	180M-2/22KW	100	100	290	490	100	2X425	1201	1050	70	425	465	6-Ø19	M16X300	288
	80	50	200	160L-2/18.5KW	100	100	270	470	100	2X425	1183	1050	70	400	440	6-Ø19	M16X300	245
	80	50	200	160M2-2/15KW	100	100	270	470	100	2X400	1123	1000	70	400	440	6-Ø19	M16X300	226
	80	50	200	160M1-2/11KW	100	100	270	470	100	2X400	1123	1000	70	400	440	6-Ø19	M16X300	216
	80	50	200	100L2-4/3KW	100	100	270	470	100	1X600	893	800	70	350	390	4-Ø15	M12X300	137
	80	50	200	100L1-4/2.2KW	100	100	270	470	100	1X600	893	800	70	350	390	4-Ø15	M12X300	133
	80	50	200	90L-4/1.5KW	100	100	270	470	100	1X550	843	750	70	350	390	4-Ø15	M12X300	128
100x65-200	100	65	200	200L2-2/37KW	100	140	355	580	150	2X475	1398	1250	85	475	525	6-Ø19	M16X300	413
	100	65	200	200L1-2/30KW	100	140	355	580	150	2X475	1398	1250	85	475	525	6-Ø19	M16X300	394
	100	65	200	180M-2/22KW	100	140	335	560	150	2X450	1316	1200	85	435	485	6-Ø19	M16X300	334
	100	65	200	160L-2/18.5KW	100	140	335	560	150	2X425	1298	1150	85	400	460	6-Ø19	M16X300	294
	100	65	200	132S-4/5.5KW	100	140	335	560	100	2X400	1100	1000	85	400	460	6-Ø19	M16X300	213
	100	65	200	112M-4/4KW	100	140	335	560	150	1X650	1018	950	85	400	460	4-Ø19	M16X300	193
	100	65	200	100L2-4/3KW	100	140	335	560	150	1X650	1008	950	85	400	460	4-Ø19	M16X300	189
125x80-200	125	80	200	225M-2/45KW	125	140	380	630	150	2X500	1466	1300	85	515	565	6-Ø19	M16X300	490
	125	80	200	200L2-2/37KW	125	140	355	605	150	2X475	1423	1250	85	475	525	6-Ø19	M16X300	422
	125	80	200	200L1-2/30KW	125	140	355	605	150	2X475	1423	1250	85	475	525	6-Ø19	M16X300	403
	125	80	200	180M-2/22KW	125	140	335	585	150	2X450	1341	1200	85	435	485	6-Ø19	M16X300	343
	125	80	200	132M-4/7.5KW	125	140	335	585	100	2X425	1170	1050	85	435	485	6-Ø19	M16X300	238
	125	80	200	132S-4/5.5KW	125	140	335	585	100	2X400	1125	1000	85	435	485	6-Ø19	M16X300	223
	125	80	200	112M-4/4KW	125	140	335	585	150	1X650	1043	950	85	435	485	4-Ø19	M16X300	204
125x100-200	125	100	200	280S-2/75KW	125	140	435	715	150	2X575	1640	1450	85	635	695	6-Ø24	M20X400	757
	125	100	200	250M-2/55KW	125	140	405	685	150	2X525	1570	1350	85	570	620	6-Ø24	M20X400	587
	125	100	200	225M-2/45KW	125	140	380	660	150	2X500	1466	1300	85	515	565	6-Ø19	M16X300	493
	125	100	200	200L2-2/37KW	125	140	355	635	150	2X475	1423	1250	85	475	525	6-Ø19	M16X300	426
	125	100	200	200L1-2/30KW	125	140	355	635	150	2X475	1423	1250	85	475	525	6-Ø19	M16X300	407
	125	100	200	132M-4/7.5KW	125	140	355	635	100	2X425	1170	1050	85	435	485	6-Ø19	M16X300	247
	125	100	200	132S-4/5.5KW	125	140	355	635	100	2X400	1125	1000	85	435	485	6-Ø19	M16X300	232
125	100	200	112M-4/4KW	125	140	355	635	150	1X650	1043	950	85	435	485	4-Ø19	M16X300	213	

AURORA®


End Suction Pump 50HZ Performance

End Suction Centrifugal Pump Technical Data



PUMP MODEL	PUMP SIZE			MOTOR KW															WEIGHT (KG)
	INLET	OUTLET	IMP NOMINAL DIA		A	H	H1	H2	L1	NXL2	L3	L	C	B1	B	n-Ød	ANCHOR BOLTS		
150x125-200	150	125	200	160L-4/15KW	125	180	450	805	200	1X720	1325	1120	100	480	540	4-Ø19	M16X300	485	
	150	125	200	160M-4/11KW	125	180	450	805	200	1X720	1275	1120	100	480	540	4-Ø19	M16X300	465	
50x32-250	50	32	250	160L-2/18.5KW	100	140	335	560	150	1X830	1276	1130	85	400	460	4-Ø19	M16X300	297	
	50	32	250	160M2-2/15KW	100	140	335	560	150	1X830	1221	1130	85	400	460	4-Ø19	M16X300	280	
	50	32	250	160M1-2/11KW	100	140	335	560	150	1X830	1221	1130	85	400	460	4-Ø19	M16X300	270	
	50	32	250	132S2-2/7.5KW	100	140	335	560	150	1X740	1076	1040	85	400	450	4-Ø19	M16X300	221	
	50	32	250	132S-4/5.5KW	100	140	335	560	150	1X740	1076	1040	85	400	450	4-Ø19	M16X300	218	
	50	32	250	112M-4/4KW	100	140	335	560	150	1X740	1005	910	85	400	450	4-Ø19	M16X300	195	
	50	32	250	100L2-4/3KW	100	140	335	560	150	1X610	990	910	85	400	450	4-Ø19	M16X300	186	
	50	32	250	100L1-4/2.2KW	100	140	335	560	150	1X610	990	910	85	400	450	4-Ø19	M16X300	185	
	50	32	250	90L-4/1.5KW	100	140	335	560	150	1X580	945	880	85	400	450	4-Ø19	M16X300	173	
65x40-250	65	40	250	200L1-2/30KW	100	140	355	580	150	2X475	1398	1250	85	475	525	6-Ø19	M16X300	393	
	65	40	250	180M-2/22KW	100	140	335	560	150	2X450	1316	1200	85	435	485	6-Ø19	M16X300	333	
	65	40	250	160L-2/18.5KW	100	140	335	560	150	2X425	1298	1150	85	400	460	6-Ø19	M16X300	293	
	65	40	250	160M2-2/15KW	100	140	335	560	150	2X425	1238	1150	85	400	460	6-Ø19	M16X300	275	
	65	40	250	160M1-2/11KW	100	140	335	560	150	2X425	1238	1150	85	400	460	6-Ø19	M16X300	265	
	65	40	250	100L2-4/3KW	100	140	335	560	150	1X650	1008	950	85	400	460	4-Ø19	M16X300	187	
	65	40	250	100L1-4/2.2KW	100	140	335	560	150	1X650	1008	950	85	400	460	4-Ø19	M16X300	183	
	65	40	250	90L-4/1.5KW	100	140	335	560	150	1X600	958	900	85	400	460	4-Ø19	M16X300	175	
80x50-250	80	50	250	225M-2/45KW	125	140	380	605	150	2X500	1466	1300	85	515	565	6-Ø19	M16X300	485	
	80	50	250	200L2-2/37KW	125	140	355	580	150	2X475	1423	1250	85	475	525	6-Ø19	M16X300	417	
	80	50	250	200L1-2/30KW	125	140	355	580	150	2X475	1423	1250	85	475	525	6-Ø19	M16X300	398	
	80	50	250	180M-2/22KW	125	140	335	560	150	2X450	1341	1200	85	435	485	6-Ø19	M16X300	338	
	80	50	250	132S-4/5.5KW	125	140	335	560	100	2X400	1125	1000	85	400	460	6-Ø19	M16X300	216	
	80	50	250	112M-4/4KW	125	140	335	560	150	1X650	1043	950	85	400	460	4-Ø19	M16X300	197	
	80	50	250	100L2-4/3KW	125	140	335	560	150	1X650	1033	950	85	400	460	4-Ø19	M16X300	192	

End Suction Centrifugal Pump Technical Data



PUMP MODEL	PUMP SIZE			MOTOR KW													WEIGHT (KG)	
	INLET	OUTLET	IMP NOMINAL DIA		A	H	H1	H2	L1	NxL2	L3	L	C	B1	B	n-Ød		ANCHOR BOLTS
100×65-250	100	65	250	280S-2/75KW	125	140	435	685	150	2X575	1640	1450	85	635	695	6-Ø24	M20X400	757
	100	65	250	250M-2/55KW	125	140	405	655	150	2X525	1570	1350	85	570	620	6-Ø24	M20X400	586
	100	65	250	225M-2/45KW	125	140	380	630	150	2X500	1466	1300	85	515	565	6-Ø19	M16X300	490
	100	65	250	200L2-2/37KW	125	140	355	605	150	2X475	1423	1250	85	475	525	6-Ø19	M16X300	423
	100	65	250	200L1-2/30KW	125	140	355	605	150	2X475	1423	1250	85	475	525	6-Ø19	M16X300	404
	100	65	250	132M-4/7.5KW	125	140	355	605	100	2X425	1170	1050	85	435	485	6-Ø19	M16X300	245
	100	65	250	132S-4/5.5KW	125	140	355	605	100	2X400	1125	1000	85	435	485	6-Ø19	M16X300	230
	100	65	250	112M-4/4KW	125	140	355	605	150	1X650	1043	950	85	435	485	4-Ø19	M16X300	211
125×80-250	125	80	250	280M-2/90KW	125	140	435	715	150	2X600	1685	1500	85	635	695	6-Ø24	M20X400	784
	125	80	250	280S-2/75KW	125	140	435	715	150	2X575	1640	1450	85	635	695	6-Ø24	M20X400	751
	125	80	250	250M-2/55KW	125	140	405	685	150	2X525	1570	1350	85	570	620	6-Ø24	M20X400	584
	125	80	250	225M-2/45KW	125	140	380	660	150	2X500	1466	1300	85	515	565	6-Ø19	M16X300	491
	125	80	250	160M-4/11KW	125	140	380	660	150	2X425	1263	1150	85	475	525	6-Ø19	M16X300	299
	125	80	250	132M-4/7.5KW	125	140	380	660	100	2X425	1170	1050	85	475	525	6-Ø19	M16X300	253
	125	80	250	132S-4/5.5KW	125	140	380	660	100	2X400	1125	1000	85	475	525	6-Ø19	M16X300	239
125×100-250	125	100	250	315S-2/110KW	140	180	540	820	200	2X600	1885	1600	100	730	790	6-Ø24	M20X400	1276
	125	100	250	280M-2/90KW	140	180	505	785	200	2X550	1730	1500	100	635	695	6-Ø24	M20X400	860
	125	100	250	280S-2/75KW	140	180	505	785	200	2X550	1685	1500	100	635	695	6-Ø24	M20X400	828
	125	100	250	250M-2/55KW	140	180	450	730	200	2X500	1615	1400	100	570	630	6-Ø24	M20X400	658
	125	100	250	160L-4/15KW	140	180	450	730	200	2X425	1368	1250	100	480	540	6-Ø19	M16X300	386
	125	100	250	160M-4/11KW	140	180	450	730	150	2X450	1308	1200	100	480	540	6-Ø19	M16X300	363
	125	100	250	132M-4/7.5KW	140	180	450	730	100	2X425	1219	1050	100	480	540	6-Ø19	M16X300	318
150×125-250	150	125	250	180L-4/22KW	140	180	450	805	200	2X425	1426	1250	100	480	540	6-Ø19	M16X300	449
	150	125	250	180M-4/18.5KW	140	180	450	805	200	2X425	1386	1250	100	480	540	6-Ø19	M16X300	434
	150	125	250	160L-4/15KW	140	180	450	805	200	2X425	1368	1250	100	480	540	6-Ø19	M16X300	396
	150	125	250	160M-4/11KW	140	180	450	805	150	2X450	1308	1200	100	480	540	6-Ø19	M16X300	373
200×150-250	200	150	250	225M-2/45KW	160	180	480	855	200	1X910	1542	1310	100	580	640	4-Ø19	M16X300	710
	200	150	250	225S-4/37KW	160	180	480	855	200	1X910	1512	1310	100	580	640	4-Ø19	M16X300	675
	200	150	250	200L-4/30KW	160	180	480	855	200	1X970	1467	1370	100	630	690	4-Ø19	M16X300	615
	200	150	250	180L-4/22KW	160	180	480	855	200	1X820	1446	1220	100	580	640	4-Ø19	M16X300	549

End Suction Centrifugal Pump Technical Data



PUMP MODEL	PUMP SIZE			MOTOR KW														WEIGHT (KG)
	INLET	OUTLET	IMP NOMINAL DIA		A	H	H1	H2	L1	NXL2	L3	L	C	B1	B	n-Ød	ANCHOR BOLTS	
200×200-250	200	200	250	225S-4/37KW	180	180	515	965	200	2X515	1627	1430	120	630	690	6-Ø24	M20X400	708
	200	200	250	200L-4/30KW	180	180	515	965	200	1X970	1582	1370	120	630	690	4-Ø24	M20X400	653
	200	200	250	180L-4/22KW	180	180	515	965	200	1X930	1561	1330	120	630	690	4-Ø24	M20X400	584
	200	200	250	180M-4/18.5KW	180	180	515	965	200	1X930	1541	1330	120	630	690	4-Ø24	M20X400	570
	200	200	250	160L-4/15KW	180	180	515	965	200	1X890	1481	1290	120	630	690	4-Ø24	M20X400	523
	200	200	250	160M-4/11KW	180	180	515	965	200	1X890	1426	1290	120	630	690	4-Ø24	M20X400	503
65×40-315	65	40	315	225M-2/45KW	125	140	380	630	150	2X500	1466	1300	85	515	565	6-Ø19	M16X300	495
	65	40	315	200L2-2/37KW	125	140	355	605	150	2X475	1423	1250	85	475	525	6-Ø19	M16X300	428
	65	40	315	200L1-2/30KW	125	140	355	605	150	2X475	1423	1250	85	475	525	6-Ø19	M16X300	409
	65	40	315	180M-2/22KW	125	140	355	605	150	2X450	1341	1200	85	435	485	6-Ø19	M16X300	353
	65	40	315	132S-4/5.5KW	125	140	355	605	100	2X400	1125	1000	85	435	485	6-Ø19	M16X300	234
	65	40	315	112M-4/4KW	125	140	355	605	150	1X650	1043	950	85	435	485	4-Ø19	M16X300	213
	65	40	315	100L2-4/3KW	125	140	355	605	150	1X650	1033	950	85	435	485	4-Ø19	M16X300	208
80×50-315	80	50	315	280S-2/75KW	125	140	435	715	150	2X575	1640	1450	85	635	695	6-Ø24	M20X400	756
	80	50	315	250M-2/55KW	125	140	405	685	150	2X525	1570	1350	85	570	620	6-Ø24	M20X400	589
	80	50	315	225M-2/45KW	125	140	380	660	150	2X500	1466	1300	85	515	565	6-Ø19	M16X300	496
	80	50	315	200L2-2/37KW	125	140	380	660	150	2X475	1423	1250	85	475	525	6-Ø19	M16X300	436
	80	50	315	200L1-2/30KW	125	140	380	660	150	2X475	1423	1250	85	475	525	6-Ø19	M16X300	417
	80	50	315	132M-4/7.5KW	125	140	380	660	100	2X425	1170	1050	85	435	485	6-Ø19	M16X300	254
	80	50	315	132S-4/5.5KW	125	140	380	660	100	2X400	1125	1000	85	435	485	6-Ø19	M16X300	240
	80	50	315	112M-4/4KW	125	140	380	660	150	1X650	1043	950	85	435	485	4-Ø19	M16X300	219
100×65-315	100	65	315	315S-2/110KW	125	180	540	820	200	2X600	1870	1600	100	730	790	6-Ø24	M20X400	1278
	100	65	315	280M-2/90KW	125	180	505	785	200	2X550	1715	1500	100	635	695	6-Ø24	M20X400	873
	100	65	315	280S-2/75KW	125	180	505	785	200	2X550	1670	1500	100	635	695	6-Ø24	M20X400	841
	100	65	315	250M-2/55KW	125	180	475	755	200	2X500	1600	1400	100	570	630	6-Ø24	M20X400	675
	100	65	315	160L-4/15KW	125	180	450	730	200	2X425	1353	1250	100	480	540	6-Ø19	M16X300	386
	100	65	315	160M-4/11KW	125	180	450	730	150	2X450	1293	1200	100	480	540	6-Ø19	M16X300	364
	100	65	315	132M-4/7.5KW	125	180	450	730	100	2X425	1204	1050	100	480	540	6-Ø19	M16X300	318

End Suction Centrifugal Pump Technical Data



PUMP MODEL	PUMP SIZE			MOTOR KW															WEIGHT (KG)
	INLET	OUTLET	IMP NOMINAL DIA		A	H	H1	H2	L1	NXL2	L3	L	C	B1	B	n-Ød	ANCHOR BOLTS		
125x80-315	125	80	315	315M-2/132KW	125	180	515	830	200	2X650	1980	1700	100	730	790	6-Ø24	M20X400	1336	
	125	80	315	315S-2/110KW	125	180	515	830	200	2X600	1870	1600	100	730	790	6-Ø24	M20X400	1270	
	125	80	315	280M-2/90KW	125	180	480	795	200	2X550	1715	1500	100	635	695	6-Ø24	M20X400	853	
	125	80	315	280S-2/75KW	125	180	480	795	200	2X550	1670	1500	100	635	695	6-Ø24	M20X400	821	
	125	80	315	180M-4/18.5KW	125	180	450	765	200	2X425	1371	1250	100	480	540	6-Ø19	M16X300	429	
	125	80	315	160L-4/15KW	125	180	450	765	200	2X425	1353	1250	100	480	540	6-Ø19	M16X300	391	
	125	80	315	160M-4/11KW	125	180	450	765	150	2X425	1287	1150	100	480	540	6-Ø19	M16X300	365	
125x100-315	125	100	315	315M-2/132KW	140	180	515	830	200	2X650	1995	1700	100	730	790	6-Ø24	M20X400	1344	
	125	100	315	315S-2/110KW	140	180	515	830	200	2X600	1885	1600	100	730	790	6-Ø24	M20X400	1278	
	125	100	315	280M-2/90KW	140	180	480	795	200	2X550	1730	1500	100	635	695	6-Ø24	M20X400	861	
	125	100	315	180L-4/22KW	140	180	450	765	200	2X425	1426	1250	100	480	540	6-Ø19	M16X300	452	
	125	100	315	180M-4/18.5KW	140	180	450	765	200	2X425	1386	1250	100	480	540	6-Ø19	M16X300	437	
	125	100	315	160L-4/15KW	140	180	450	765	200	2X425	1368	1250	100	480	540	6-Ø19	M16X300	399	
	125	100	315	160M-4/11KW	140	180	450	765	200	2X425	1302	1200	100	480	540	6-Ø19	M16X300	376	
150x125-315	150	125	315	225M-4/45KW	140	180	480	835	200	2X475	1545	1350	100	580	640	6-Ø24	M20X400	638	
	150	125	315	225S-4/37KW	140	180	480	835	200	2X475	1518	1350	100	580	640	6-Ø24	M20X400	596	
	150	125	315	200L-4/30KW	140	180	480	835	200	2X450	1468	1300	100	580	640	6-Ø24	M20X400	538	
	150	125	315	180L-4/22KW	140	180	480	835	200	2X425	1426	1250	100	580	640	6-Ø19	M16X300	484	
	150	125	315	180M-4/18.5KW	140	180	465	820	200	2X425	1386	1250	100	580	640	6-Ø24	M20X400	468	
200x150-315	200	150	315	250M-4/55KW	160	180	515	915	200	2X575	1777	1550	125	635	695	6-Ø24	M20X400	839	
	200	150	315	225M-4/45KW	160	180	515	915	200	2X550	1705	1500	125	635	695	6-Ø24	M20X400	779	
	200	150	315	225S-4/37KW	160	180	515	915	200	2X525	1678	1450	125	635	695	6-Ø24	M20X400	735	
	200	150	315	200L-4/30KW	160	180	515	915	200	2X525	1628	1450	125	635	695	6-Ø24	M20X400	685	
	200	150	315	180L-6/15KW	160	180	515	915	200	2X500	1586	1400	125	635	695	6-Ø24	M20X400	631	
	200	150	315	160L-6/11KW	160	180	515	915	150	2X525	1528	1350	125	635	695	6-Ø24	M20X400	568	
	200	150	315	160M-6/7.5KW	160	180	515	915	150	2X525	1462	1350	125	635	695	6-Ø24	M20X400	547	

End Suction Centrifugal Pump Technical Data


PUMP MODEL	PUMP SIZE			MOTOR KW													ANCHOR BOLTS	WEIGHT (KG)
	INLET	OUTLET	IMP NOMINAL DIA		A	H	H1	H2	L1	NXL2	L3	L	C	B1	B	n-Ød		
250x200-315	250	200	315	280S-4/75KW	180	180	515	965	200	2X600	1890	1600	125	635	695	6-Ø24	M20X400	1023
	250	200	315	250M-4/55KW	180	180	515	965	200	2X575	1797	1550	125	635	695	6-Ø24	M20X400	885
	250	200	315	225M-4/45KW	180	180	515	965	200	2X550	1725	1500	125	635	695	6-Ø24	M20X400	825
	250	200	315	225S-4/37KW	180	180	515	965	200	2X525	1698	1450	125	635	695	6-Ø24	M20X400	781
	250	200	315	200L-4/30KW	180	180	515	965	200	2X525	1648	1450	125	635	695	6-Ø24	M20X400	723
	250	200	315	200L2-6/22KW	180	180	515	965	200	2X525	1648	1450	125	635	695	6-Ø24	M20X400	725
	250	200	315	200L1-6/18.5KW	180	180	515	965	200	2X525	1648	1450	125	635	695	6-Ø24	M20X400	725
	250	200	315	180L-6/15KW	180	180	515	965	200	2X500	1606	1400	125	635	695	6-Ø24	M20X400	671
300x250-315	300	250	315	280M-4/90KW	250	180	600	1150	200	2X610	1917	1620	140	760	820	6-Ø24	M20X400	1175
	300	250	315	280S-4/75KW	250	180	600	1150	200	2X610	1867	1620	140	760	820	6-Ø24	M20X400	1085
	300	250	315	250M-4/55KW	250	180	600	1150	200	2X550	1792	1500	140	760	820	6-Ø24	M20X400	943
	300	250	315	225M-4/45KW	250	180	600	1150	200	2X515	1727	1430	140	760	820	6-Ø24	M20X400	880
	300	250	315	225S-4/37KW	250	180	600	1150	200	2X515	1697	1430	140	760	820	6-Ø24	M20X400	845
350x300-315	350	300	315	315L1-4/160KW	250	180	600	1200	200	2X720	2207	1840	120	835	895	6-Ø24	M20X400	1727
	350	300	315	315M-4/132KW	250	180	600	1200	200	2X720	2207	1840	120	835	895	6-Ø24	M20X400	1663
	350	300	315	315S-4/110KW	250	180	600	1200	200	2X720	2177	1840	120	835	895	6-Ø24	M20X400	1583
125x80-400	125	80	400	200L-4/30KW	125	180	480	835	200	2X450	1453	1300	100	545	605	6-Ø24	M20X400	539
	125	80	400	180L-4/22KW	125	180	480	835	200	2X425	1411	1250	100	545	605	6-Ø24	M20X400	485
	125	80	400	180M-4/18.5KW	125	180	480	835	200	2X425	1371	1250	100	545	605	6-Ø24	M20X400	470
	125	80	400	160L-4/15KW	125	180	480	835	200	2X425	1353	1250	100	545	605	6-Ø24	M20X400	435
125x100-400	125	100	400	225M-4/45KW	140	180	480	835	200	2X475	1545	1350	100	580	640	6-Ø24	M20X400	654
	125	100	400	225S-4/37KW	140	180	480	835	200	2X475	1518	1350	100	580	640	6-Ø24	M20X400	612
	125	100	400	200L-4/30KW	140	180	480	835	200	2X450	1468	1300	100	580	640	6-Ø24	M20X400	554
	125	100	400	180L-4/22KW	140	180	480	835	200	2X425	1426	1250	100	580	640	6-Ø24	M20X400	500
150x125-400	150	125	400	280S-4/75KW	140	180	515	915	200	2X550	1710	1500	100	635	695	6-Ø24	M20X400	890
	150	125	400	250M-4/55KW	140	180	515	915	200	2X500	1617	1400	100	580	640	6-Ø24	M20X400	744
	150	125	400	225M-4/45KW	140	180	515	915	200	2X475	1545	1350	100	580	640	6-Ø24	M20X400	677
	150	125	400	225S-4/37KW	140	180	515	915	200	2X475	1518	1350	100	580	640	6-Ø24	M20X400	635


End Suction Centrifugal Pump Technical Data


PUMP MODEL	PUMP SIZE			MOTOR KW															WEIGHT (KG)
	INLET	OUTLET	IMP NOMINAL DIA		A	H	H1	H2	L1	NXL2	L3	L	C	B1	B	n-Ød	ANCHOR BOLTS		
200x150-400	200	150	400	315S-4/110KW	160	180	515	965	200	2X700	2080	1800	125	730	790	6-Ø24	M20X400	1495	
	200	150	400	280M-4/90KW	160	180	515	965	200	2X650	1930	1700	125	635	695	6-Ø24	M20X400	1153	
	200	150	400	280S-4/75KW	160	180	515	965	200	2X600	1870	1600	125	635	695	6-Ø24	M20X400	1042	
	200	150	400	250M-4/55KW	160	180	515	965	200	2X575	1777	1550	125	635	695	6-Ø24	M20X400	905	
	200	150	400	225M-6/30KW	160	180	515	965	200	2X550	1705	1500	125	635	695	6-Ø24	M20X400	847	
	200	150	400	200L2-6/22KW	160	180	515	965	200	2X525	1628	1450	125	635	695	6-Ø24	M20X400	750	
	200	150	400	200L1-6/18.5KW	160	180	515	965	200	2X525	1628	1450	125	635	695	6-Ø24	M20X400	750	
	200	150	400	180L-6/15KW	160	180	515	965	200	2X500	1586	1400	125	635	695	6-Ø24	M20X400	693	
250x200-400	250	200	400	315L1-4/160KW	180	180	555	1055	200	2X675	2112	1750	120	825	885	6-Ø24	M20X400	1623	
	250	200	400	315M-4/132KW	180	180	555	1055	200	2X675	2112	1750	120	825	885	6-Ø24	M20X400	1563	
	250	200	400	315S-4/110KW	180	180	555	1055	200	2X675	2082	1750	120	825	885	6-Ø24	M20X400	1483	
	250	200	400	280M-4/90KW	180	180	555	1055	200	2X610	1847	1620	120	635	695	6-Ø24	M20X400	1149	
	250	200	400	280S-4/75KW	180	180	555	1055	200	2X610	1797	1620	120	635	695	6-Ø24	M20X400	1059	
	250	200	400	250M-4/55KW	180	180	555	1055	200	2X550	1722	1500	120	630	690	6-Ø24	M20X400	917	
300x250-400	300	250	400	315L1-4/160KW	200	180	575	1125	200	2X720	2207	1840	140	835	895	6-Ø24	M20X400	1733	
	300	250	400	315M-4/132KW	200	180	575	1125	200	2X720	2207	1840	140	835	895	6-Ø24	M20X400	1673	
	300	250	400	315S-4/110KW	200	180	575	1125	200	2X720	2177	1840	140	835	895	6-Ø24	M20X400	1593	
	300	250	400	280M-4/90KW	200	180	575	1125	200	2X650	1942	1700	140	825	885	6-Ø24	M20X400	1256	
	300	250	400	280S-4/75KW	200	180	575	1125	200	2X650	1892	1700	140	825	885	6-Ø24	M20X400	1166	
350x300-400	350	300	400	355M-4/250KW	240	180	650	1300	200	2X800	2437	2000	170	975	1035	6-Ø24	M20X400	1342	
	350	300	400	315L2-4/200KW	240	180	650	1300	200	2X720	2247	1840	170	835	895	6-Ø24	M20X400	1892	
	350	300	400	315L1-4/160KW	240	180	650	1300	200	2X720	2247	1840	170	835	895	6-Ø24	M20X400	1792	
	350	300	400	315M-4/132KW	240	180	650	1300	200	2X720	2247	1840	170	835	895	6-Ø24	M20X400	1732	
	350	300	400	315S-4/110KW	240	180	650	1300	200	2X700	2247	1840	170	835	895	6-Ø24	M20X400	1652	
	350	300	400	280M-4/90KW	240	180	650	1300	200	2X650	1982	1700	170	825	895	6-Ø24	M20X400	1316	
125x100-500	125	100	500	280M-4/90KW	160	180	555	1005	200	2X625	1930	1650	125	635	695	6-Ø24	M20X400	1216	
	125	100	500	280S-4/75KW	160	180	555	1005	200	2X600	1870	1600	125	635	695	6-Ø24	M20X400	1108	
	125	100	500	250M-4/55KW	160	180	555	1005	200	2X575	1777	1550	125	635	695	6-Ø24	M20X400	973	
	125	100	500	225M-4/45KW	160	180	555	1005	200	2X550	1705	1500	125	635	695	6-Ø24	M20X400	910	
	125	100	500	225M-6/30KW	160	180	555	1005	200	2X550	1705	1500	125	635	695	6-Ø24	M20X400	910	
	125	100	500	200L2-6/22KW	160	180	555	1005	200	2X525	1628	1450	125	635	695	6-Ø24	M20X400	818	
	125	100	500	200L1-6/18.5KW	160	180	555	1005	200	2X525	1628	1450	125	635	695	6-Ø24	M20X400	818	
	125	100	500	180L-6/15KW	160	180	555	1005	150	2X575	1586	1450	125	635	695	6-Ø24	M20X400	766	
	125	100	500	160L-6/11KW	160	180	555	1005	150	2X550	1528	1400	125	635	695	6-Ø24	M20X400	712	

End Suction Centrifugal Pump Technical Data


PUMP MODEL	PUMP SIZE			MOTOR KW															WEIGHT (KG)
	INLET	OUTLET	IMP NOMINAL DIA		A	H	H1	H2	L1	NXL2	L3	L	C	B1	B	n-Ød	FOUNDATION BOLTS		
150x125-500	150	125	500	315M-4/132KW	160	180	555	1005	200	2X700	2190	1800	125	715	765	6-Ø24	M20X400	1670	
	150	125	500	315S-4/110KW	160	180	555	1005	200	2X675	2080	1750	125	715	765	6-Ø24	M20X400	1574	
	150	125	500	280M-4/90KW	160	180	555	1005	200	2X625	1930	1650	125	635	695	6-Ø24	M20X400	1240	
	150	125	500	280S-4/75KW	160	180	555	1005	200	2X600	1870	1600	125	635	695	6-Ø24	M20X400	1132	
	150	125	500	250M-4/55KW	160	180	555	1005	200	2X575	1777	1550	125	635	695	6-Ø24	M20X400	997	
	150	125	500	250M-6/37KW	160	180	555	1005	200	2X575	1782	1550	125	635	695	6-Ø24	M20X400	999	
	150	125	500	225M-6/30KW	160	180	555	1005	200	2X550	1705	1500	125	635	695	6-Ø24	M20X400	934	
	150	125	500	200L2-6/22KW	160	180	555	1005	200	2X525	1628	1450	125	635	695	6-Ø24	M20X400	842	
	150	125	500	200L1-6/18.5KW	160	180	555	1005	200	2X525	1628	1450	125	635	695	6-Ø24	M20X400	842	
200x150-500	200	150	500	315L2-4/200KW	160	180	600	1100	200	2X750	2195	1900	125	730	790	6-Ø24	M20X400	1906	
	200	150	500	315L1-4/160KW	160	180	600	1100	200	2X750	2195	1900	125	730	790	6-Ø24	M20X400	1795	
	200	150	500	315M-4/132KW	160	180	600	1100	200	2X750	2190	1900	125	730	790	6-Ø24	M20X400	1710	
	200	150	500	315S-4/110KW	160	180	600	1100	200	2X700	2080	1800	125	730	790	6-Ø24	M20X400	1612	
	200	150	500	280M-4/90KW	160	180	600	1100	200	2X650	1930	1700	125	635	695	6-Ø24	M20X400	1265	
	200	150	500	280S-4/75KW	160	180	600	1100	200	2X600	1870	1600	125	635	695	6-Ø24	M20X400	1154	
	200	150	500	280M-6/55KW	160	180	600	1100	200	2X650	1930	1700	125	635	695	6-Ø24	M20X400	1275	
	200	150	500	280S-6/45KW	160	180	600	1100	200	2X600	1870	1600	125	635	695	6-Ø24	M20X400	1165	
	200	150	500	250M-6/37KW	160	180	600	1100	200	2X575	1782	1550	125	635	695	6-Ø24	M20X400	1027	
	200	150	500	225M-6/30KW	160	180	600	1100	200	2X550	1705	1500	125	635	695	6-Ø24	M20X400	962	
	200	150	500	200L2-6/22KW	160	180	600	1100	200	2X525	1628	1450	125	635	695	6-Ø24	M20X400	880	
250x200-500	250	200	500	355M-4/250KW	200	180	600	1150	200	2X755	2437	1910	120	830	890	6-Ø24	M20X400	2384	
	250	200	500	315L2-4/200KW	200	180	600	1150	200	2X720	2207	1840	120	835	895	6-Ø24	M20X400	1827	
	250	200	500	315L1-4/160KW	200	180	600	1150	200	2X720	2207	1840	120	835	895	6-Ø24	M20X400	1727	
	250	200	500	315M-4/132KW	200	180	600	1150	200	2X720	2207	1840	120	835	895	6-Ø24	M20X400	1663	
	250	200	500	315S-4/110KW	200	180	600	1150	200	2X720	2177	1840	120	835	895	6-Ø24	M20X400	1583	
	250	200	500	280M-4/90KW	200	180	600	1150	200	2X645	1942	1690	120	825	885	6-Ø24	M20X400	1253	
	250	200	500	280S-4/75KW	200	180	600	1150	200	2X645	1892	1690	120	825	885	6-Ø24	M20X400	1163	
350x300-500	350	300	500	355L-4/315KW	250	180	650	1350	200	2X800	2487	2000	170	975	1035	6-Ø24	M20X400	2737	
	350	300	500	355M-4/250KW	250	180	650	1350	200	2X800	2487	2000	170	975	1035	6-Ø24	M20X400	2587	
	350	300	500	315L2-4/200KW	250	180	650	1350	200	2X735	2257	1870	170	975	1035	6-Ø24	M20X400	2029	
	350	300	500	315L1-4/160KW	250	180	650	1350	200	2X735	2257	1870	170	975	1035	6-Ø24	M20X400	1929	
	350	300	500	315M-4/132KW	250	180	650	1350	200	2X735	2257	1870	170	975	1035	6-Ø24	M20X400	1869	
	350	300	500	315S-4/110KW	250	180	650	1350	200	2X735	2257	1870	170	975	1035	6-Ø24	M20X400	1789	

End Suction Centrifugal Pump Technical Data




NOMINAL DIA DN mm	STANDARD	OUTSIDE DIA D mm	REGISTER DIA d mm	BOLT CIRCLE DIA P mm	FLANGE THICKNESS C mm	REGISTER HEIGHT f mm	BOLT HOLES NO. N	BOLT HOLE DIA H mm	BOLT SIZE M mm
32	BS4504 ISO7005 'PN16'	140	76	100	18	3	4	18	M16
40		150	84	110	18	3	4	18	M16
50		165	99	125	20	3	4	18	M16
65		185	118	145	20	3	4	18	M16
80		200	132	160	22	3	8	18	M16
100*		220	156	180	24	3	8	18 M16*	M16
125*		250	184	210	26	3	8	18 M16*	M16
150		285	211	240	26	3	8	22(Suc) M20(Dis)	M20
200		340	266	295	28	3	12	22(Suc) M20(Dis)	M20
250		405	319	355	32	3	12	26	M24
300		460	370	410	28	4	12	26	M24
350		520	429	470	30	4	16	26	M24

Remarks: * Models 125-100-500 and 150-125-500 flange hole of discharge to be thread.

Sectional Arrangement Details

ITEM NO.	DESCRIPTION
1	Bearing Housing
2	Casing
3	Impeller
4	Backplate
6	Bearing Cover
7	Impeller Washer
8	Support Foot
15	Shaft
21	Mechanical Seal
46	Impeller Nut
102	Shaft Key
A	Wear Ring – Back Plate
B	Wear Ring – Impeller Rear
D	Wear Ring – Casing
E	Casing Plug
F	Impeller Key
G	O-Ring
H	Backplate to Casing Bolt
I	Bearing Housing to Backplate Bolt
J	Bearing – Impeller End
K	Dust Seal – Impeller End
L	Bearing Cover to Bearing Housing Bolt
M	Dust Seal - Pulley End
N	Bearing - Pulley End
O	Support Foot to Bearing Housing Bolt and Nut
P	Bearing Housing to Casing Bolt

Items A, B, C & D are not shown. Item P is for an alternative configuration



Materials of Construction

Description	Standard configuration	Optional configuration
Volute Casing	Cast Iron	
Backplate	Cast Iron	
Impeller	Cast Iron	stainless steel 316
Bearing Housing	Cast Iron	
Shaft	stainless steel 431	
Mechanical Seal	Burgmann	



800 Airport Road
North Aurora, Illinois 60542
Phone: 888-987-8680

3601 Fairbanks Avenue
Kansas City, Kansas 66106
Phone: 888-416-9510

Pentair Wuxi Factory
No10, Jiaye Road, Wuxi City,
Jiangsu Province, China
P.C.:214124