



# EVERPURE H-104 DRINKING WATER SYSTEM





Get more peace of mind with the Everpure H104 system. Designed with the unique Micro-Pure technology and a unique pleated filter membrane to trap particles as small as 0.5 micron, the H-104 offers healthful, great tasting water.

H-104 Drining Water System

### FFATURES • BENEFITS

- Built-in water shut-off allows for easier cartridge changes
- ◆ Exclusive Micro-Pure filtering material coats the pleated surface inside the cartridge
- Retains vital minerals found naturally in water to ensure the health benefits and delicious taste of your water
- Adsorbs common earthy, moldy, fishy tastes, and odors
- Commercial grade metal canisters protects the filter from splitting or bursting. It's food-grade polymer lining prevents water from contacting the metal.
- Reduces particles as small as 0.5 micron in size by mechanical means
- Helps prevent lime and scale build up in water appliances

# 20" 51cm

### SUBSTANCE REDUCTION

- Lead
- NSF/ANSI Standard 53 certified to reduce cysts such as Cryptosporidium and Giardia by mechanical means
- Chlorine taste & odor
- Dirt and cloudiness\*

### **SPECIFICATIONS**

- Flow rate controlled at 0.5 gpm (1.9 Lpm)
- Capacity 1,000 gallons (3,780 L)
- Working pressure 10~125psi, non-shock (0.7~8.6 bar)
- ◆ Temperature 35~100°F (2-38°C) cold water use only
- Overall dimension
   20"H x 5"W x 5"D
   (51cm x 13cm x 13cm)

<sup>\*</sup>As tested by Everpure, LLC

## EVERPURE H-104 DRINKING WATER SYSTEM

### GENERAL INSTALLATION/OPERATION/MAINTENANCE REQUIREMENTS

- A separate drinking water faucet is required
- Install vertically with cartridge hanging down
- Use minimum length of tubing possible
- Space required: 20H x 5W x 5D in (51H x 13W x 13D cm) including 2-1/12 inches of clear space under unit for cartridge change
- Flush new cartridge at full flow for three minutes to purge air
- Recommended service life of the cartridge: 6 - 12 months
- The service life is a recommended replacement cycle, and the actual lifespan of a cartridge may vary in accordance with the actual water consumption and local tap water quality
- Replace cartridge when capacity is reached, or when flow becomes too slow.
- To ensure optimum water filtration, cartridges should be changed annually
- Always flush the filter cartridge at time of installation and cartridge change
- This drinking water system must be maintained according to the manufacturer's instructions, including replacement of filter cartridges. The susbstances reduced or removed by this system are not necessarily in your water. Read the performance data sheet.
- Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system. Systems certified for cyst reduction may be used on disinfected water that may contain filterable cysts.

### HEALTH CLAIM PERFORMANCE CERTIFIED BY NSF\*

This system has been tested according to NSF/ANSI 42 and 53 for reduction of the substances listed below. The concentration of the indicated substances in water entering the system was reduced to a concentration less than or equal to the permissible limit for water leaving the system, as specified in NSF/ANSI 42 and 53.

SUBSTANCE	INFLUENT CHALLENGE CONCENTRATION	MAX. PERMISSIBLE PRODUCT WATER CONCENTRATION	REDUCTION REQUIREMENTS	MINIMUM REDUCTION	AVERAGE REDUCTION
Standard 42 - Aesthetic		-	> 50%	_	95.9%
Particulate, Class I	2.0 mg ± 10%				
Particles 0.5 - < 1 µm	at least 10,000 particles/mL	_	≥ 85%		99.4%
Standard 53 - Health Ef	fects				
Cyst	Minimum 50,000/L	-	99.95%	99.99%	99.99%
Lead 6.5	$0.15  \text{mg/L} \pm 10\%$	0.010 mg/L	-	98.3%	99.1%
Lead 8.5	$0.15  \text{mg/L} \pm 10  \%$	0.010 mg/L	-	97.2%	98.5%

<sup>\*</sup>Tested using flow rate = 0.5 gpm; pressure = 60 psig; pH = 7.5  $\pm$  0.5; temp. = 20°C  $\pm$  2.5°C

Everpure, Micro-Pure and the silver canister color are registered trademarks of Pentair Filtration Solutions, LLC ©2023

### WARRANTY

Everpure Drinking Water Systems are warranted to be free of defects for a full twelve (12) months after purchase. A detailed warranty statement is provided with each system.



System Tested and Certified by NSF International against NSF/ANSI Standard 42 and 53 for the reduction of:

### Standard No. 42 Aesthetic Effects:

Chemical Reduction

- Taste and Odor
- Chlorine Taste & Odor
- Mechanical Filtration
- Particulate Reduction: Class I

Standard No. 53 Health Effects:

- Chemical Reduction
- Lead
- Mechanical Filtration
- Cyst

EPA EST. NO. 002623-IL-002



### Pentair Offices in South East Asia

Singapore 390 Havelock Road #04-01 King's Centre Singapore 169662 Tel: +6567685900 Thailand
16th Floor, The Ninth Towers
Grand RAMA 9, Tower B
33/4 Rama 9 Road, Huaykwang
Bangkok 10310, Thailand
Tel: +6621681092

Philippines
5th Floor MAIA Suites
1747 Nicanor Garcia Street corner
D.Oliman Street Makati City, Philippines

Tel: +632824 3825

All indicated Pentair trademarks and logos are property of Pentair. Third party registered and unregistred trademarks and logos are the property of their respective owners. ©2023 Pentair. All Rights Reserved.